Attorney Docket No.: F7761(V)

Serial No.:

10/587,477

Filing Date:

July 26, 2006

Confirmation No.:

5194

Amendments to the Claims:

The listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (Currently amended) An enzymatic rearrangement process for randomizing fatty acid residues on a triglyceride fat over the terminal and middle positions, said process comprising exposing the triglyceride fat in a reaction mixture which has a water content of 0.001 to 0.1 wt% to a catalyst comprising Thermomyces languaginosas lipase having an activity of at least 250 IUN at the onset of the process, wherein the process proceeds to a conversion degree on the terminal positions, Re, ranging from 0.3-0.95 to less than 0.9, and-wherein a conversion degree on the middle position, Ra, ranges from 0.06-0.75, and wherein the conversion degree on the middle position. Ra is greater than a value given by 0.32Re - 0.08.

Claim 2 (Previously presented) The process according to claim 1, characterised in that the catalyst has an activity of at least 300 IUN.

Claim 3 (Previously presented) The process according to claim 1, characterised in that Ra is greater than 0.32Re - 0.06.

Claim 4 (Previously presented) The process according to claim 1, characterised in that the amount of catalyst used when the exposure step of the process is carried out in a batch reactor is 0.05 - 9 wt.% calculated on the reaction mixture.

Attorney Docket No.: F7761(V)

Serial No.:

10/587,477 July 26, 2006

Filing Date:

Confirmation No.:

5194

Claim 5 (Currently Amended) The process according to claim 1, wherein the exposure step of the process is carried out by passing the reaction mixture through a packed catalyst bed reactor, wherein the catalyst comprises Thermomyces languaginosa, and wherein in the first hour of passage of the reaction mixture through the packed catalyst bed reactor, the reaction mixture has a residence time in the packed catalyst bed reactor

of less than 25 min.

Claim 6 (Previously presented) The process according to claim 1, characterised in that the triglyceride fat is selected from the list comprising any mixture comprising a liquid oil and a hydrogenated oil, any triglyceride fat which has not been subjected to hydrogenation, and a mixture of palm fat or a palm fat fraction and a lauric fat or a lauric

fat fraction.

Claim 7 (Currently Amended) The process according to claim 1, characterised in that the

conversion degree Re is less than 0.9 0.85.

Claim 8 (Previously presented) The process according to claim 1, characterised in that

the conversion degree Re is at least 0.35.

Claim 9 (Previously presented) The process according to claim 1, characterised in that

the content of water in the reaction mixture is from 0.001 to 0.05 wt.%.

Claim 10 (Currently Amended) The processProcess according claim 1, wherein the

reaction mixture has a temperature from 40 to 85°C,.

Claims 11 - 16 Canceled

3 of 17

Attorney Docket No.: F7761(V)

Serial No.:

10/587,477

Filing Date:

July 26, 2006

Confirmation No.:

5194

Claim 17 (Previously presented) The process according to claim 1, wherein the catalyst has an activity of at least 350 IUN.

Claim 18 (Previously presented) The process according to claim 1, wherein Ra is greater than 0.32Re - 0.04.

Claim 19 (Currently amended) The process according to claim 1, wherein the amount of catalyst used when the process is carried out in a batch reactor is 0.05 - 3 wt.% calculated based on the weight of reaction mixture.

Claim 20 (Currently amended) The process according to claim 1, wherein the process of exposing the triglyceride fat in a reaction mixture to the catalyst is carried out by passing the reaction mixture through a packed catalyst bed reactor, wherein the catalyst comprises Thermomyces languaginosa and wherein in the first hour of passage of the reaction mixture through the packed catalyst bed reactor, the reaction mixture has a residence time in the packed catalyst bed reactor of less than 15 min.

Claim 21 (Previously presented) The process according to claim 1, wherein the conversion degree Re is at least 0.4 and less than 0.85.

Claim 22 (Previously presented) The process according claim 1, wherein the reaction mixture has a temperature of from 50 to 75°C.